

WAMBO COAL
POLLUTION MONITORING DATA
1 MARCH 2025 – 31 MARCH 2025

MARCH MONTHLY REPORT

Published 04 April 2025

Environment Protection Licence Number: 529
Licensee: Wambo Coal Pty Limited, PMB 1, Singleton NSW 2330
Premises: Wambo Coal Pty Limited, Jerrys Plains Road, Warkworth NSW 2330

The following pollution monitoring data is published as a requirement of the Wambo Environmental Protection Licence (EPL) 529. A link to EPL529 can be found on the Environmental Protection Authority (EPA) Public Register. A link to the EPA's public register can be found at: <https://www.epa.nsw.gov.au/licensing-and-regulation/public-registers/about-prpoeo>

Monthly interim reports will be provided on a fortnightly basis until a final monthly report is produced when all monthly data is available.

The location of each sampling point is provided in 'Plan 2672-2' at the end of this document.

Monitoring Data

Surface and Mine Water Dam Monitoring

Monitoring Frequency: Once per month

Sampling Method: Grab sample

Limits: Nil

Table 1 - WCPL Surface and Mine Water Dam Results

EPL ID	Site ID	Date	pH	EC (µS/cm)	TSS (mg/L)	Comments
Point 24	SW01	31/03/2025	7.51	758	5	
Point 25	SW02	31/03/2025	7.37	668	5	
Point 26	SW03	31/03/2025	7.37	663	6	
Point 27	SW04	31/03/2025	-	-	-	DRY
Point 28	SW05	31/03/2025	-	-	-	DRY
Point 29	SW06	31/03/2025	-	-	-	DRY
Point 30	SW07	31/03/2025	7.31	803	21	
Point 31	SW08	31/03/2025	-	-	-	DRY
Point 33	SW15	04/03/2025	9.09	3830	245	
Point 34	SW27a	31/03/2025	-	-	-	DRY
Point 36	SW32a	31/03/2025	-	-	-	DRY
Point 39	SW39	31/03/2025	-	-	-	DRY
Point 40	SW40	31/03/2025	7.30	640	12	
Point 41	SW41	31/03/2025	-	-	-	Insufficient sample
Point 42	SW54	31/03/2025	-	-	-	DRY

Water Discharge Monitoring

Monitoring Frequency: Continuous during discharge (EC, pH, Turbidity)

Daily during discharge (TSS, Volume)

Sampling Method: In line instrumentation (EC, pH Turbidity)

Grab sample (TSS)

Limits: pH- 6.5 to 9.5

TSS – 120

Volume – 250ML/day

Date sampled: Continuous

Date obtained: Continuous

Table 2 - WCPL Discharge Monitoring

Site	Date	pH (Avg)	Conductivity (µS/cm) Avg	TSS (mg/L)	Turbidity (NTU)	Volume (ML/day)	Comments
Point 4	No Discharge in March						
Point 19	No Discharge in March						

Sewerage Treatment Monitoring

Monitoring Frequency: Quarterly during discharge

Sampling Method: Grab sample

Limits: Nil

Date sampled: No Samples in March

Date obtained: No Samples in March

Table 3- WCPL Discharge Monitoring

EPL ID	Site ID	Date	pH	Faecal Coliforms (CFU/100mL)	Comments
Point 43	STPD3	-	-	-	No discharge
Point 52	STPD2				Sample required Quarterly
Point 56	STP1	-	-	-	Sample required Quarterly

PM10 Monitoring

Monitoring Frequency: Continuous

Sampling Method: AM22

Limits: Nil

Date sampled: Continuous

Date obtained: Continuous

Table 4 - WCPL PM10 Results

Date	PM02 (D2)- Wambo Road (Caban) (EPA14)		PM03 (D4) - Thelander (EPA15)		PM04 (D1) - Muller (EPA16)		PM05 (D5) - Kelly (EPA 53)	
	PM10 24 Hour Result (ug/m ³)	Annual Average	PM10 24 Hour Result (ug/m ³)	Annual Average	PM10 24 Hour Result (ug/m ³)	Annual Average	PM10 24 Hour Result (ug/m ³)	Annual Average
1/03/2025	30.3	14.12	32.4	10.79	47.1	18.76	37.2	21.01
2/03/2025	31.7	14.13	NaN	10.78	33.4	18.77	22.7	20.99
3/03/2025	14.1	14.12	11.3	10.75	16.7	18.75	18.4	20.96
4/03/2025	13.2	14.12	10.2	10.73	20.0	18.74	14.1	20.94
5/03/2025	11.5	14.09	9.3	10.69	16.6	18.71	12.0	20.90
6/03/2025	12.8	14.07	11.9	10.67	15.7	18.68	17.6	20.91
7/03/2025	10.0	14.04	11.2	10.65	14.8	18.65	23.3	20.92
8/03/2025	10.0	13.99	5.1	10.61	11.2	18.59	12.4	20.88
9/03/2025	16.3	14.00	12.6	10.62	24.0	18.61	14.6	20.88
10/03/2025	9.6	13.98	8.6	10.60	15.9	18.59	15.0	20.88
11/03/2025	9.9	13.96	3.8	10.56	17.5	18.58	14.2	20.89
12/03/2025	9.2	13.94	7.7	10.52	16.5	18.56	18.8	20.88
13/03/2025	17.4	13.92	13.1	10.51	23.3	18.54	25.1	20.87
14/03/2025	17.3	13.91	17.0	10.45	23.1	18.47	19.5	20.83
15/03/2025	27.7	13.93	20.4	10.45	33.9	18.46	25.3	20.81
16/03/2025	27.6	13.97	15.1	10.46	22.7	18.46	59.0	20.91
17/03/2025	25.1	14.00	18.0	10.47	33.3	18.49	29.9	20.95
18/03/2025	14.2	14.01	15.5	10.48	28.5	18.53	24.0	20.97
19/03/2025	24.3	14.05	21.3	10.51	30.0	18.57	20.6	21.00
20/03/2025	21.2	14.06	17.6	10.49	29.1	18.59	20.8	21.03
21/03/2025	10.4	14.06	8.5	10.48	17.3	18.60	17.4	21.03
22/03/2025	13.3	14.05	12.5	10.47	17.6	18.58	14.9	21.01
23/03/2025	7.6	14.04	8.1	10.46	12.8	18.57	13.8	21.00
24/03/2025	11.6	14.02	11.4	10.46	15.3	18.57	13.4	20.99
25/03/2025	9.3	14.00	8.3	10.45	13.4	18.54	22.7	20.99
26/03/2025	11.1	13.99	9.5	10.46	13.2	18.52	10.5	20.95
27/03/2025	12.6	13.95	10.2	10.44	17.3	18.48	17.9	20.91
28/03/2025	11.2	13.92	10.9	10.43	16.3	18.45	14.5	20.90
29/03/2025	4.3	13.89	3.6	10.40	5.9	18.41	0.0	20.84
30/03/2025	5.5	13.85	4.7	10.37	6.8	18.33	3.1	20.80
31/03/2025	4.4	13.81	1.9	10.33	6.8	18.29	5.6	20.76

*NaN >75% of data collected during period

Meteorological Monitoring

Monitoring Frequency: Continuous

Sampling Method: Site Meteorological Station EPA17

Limits: Nil

Date sampled: continuous

Date obtained: continuous

Table 5 - WCPL Meteorology

Date	Temperature (2m)			Temperature (10m)			Humidity			Solar Radiation		RAIN	Wind Speed at 10m			Wind Direction at 10m	Sigma Theta		
	Average	Min	Max	Average	Min	Max	Average	Min	Max	Average	Max	Sum (mm)	Average	Min	Max	Average	Average	Max	Min
1/03/2025	29.5	21.6	34.8	29.1	21.8	34.1	55.8	34.1	87.0	357.5	831.4	0.0	2.0	0.5	4.1	111.8	24.9	73.3	9.6
2/03/2025	25.5	18.4	35.5	25.5	19.0	34.4	76.3	37.1	99.9	199.2	869.0	4.0	1.6	0.0	5.8	163.8	31.3	94.8	1.5
3/03/2025	23.4	20.8	27.2	23.2	20.8	26.7	69.4	53.8	85.4	120.8	700.2	0.0	2.8	1.2	5.1	153.9	18.7	29.6	11.3
4/03/2025	22.7	18.9	26.9	22.5	18.9	26.4	74.7	50.4	99.9	136.4	628.3	2.2	2.9	1.1	6.5	148.0	17.4	33.8	9.9
5/03/2025	22.3	19.0	27.9	22.1	18.9	27.1	79.9	47.8	99.9	177.3	887.6	8.6	3.1	1.1	5.6	143.6	17.9	48.4	10.2
6/03/2025	21.9	19.4	24.9	21.9	19.8	24.6	84.2	62.5	99.9	91.7	367.1	1.6	2.6	0.9	5.8	133.4	17.8	27.2	8.2
7/03/2025	21.1	19.0	23.9	21.1	19.2	23.6	81.1	62.6	99.9	114.5	557.6	3.2	2.6	0.9	6.0	143.5	18.5	34.4	12.8
8/03/2025	21.4	18.5	25.4	21.3	18.4	24.9	88.9	66.1	99.9	95.2	740.5	6.4	2.7	1.1	6.0	134.1	18.6	29.6	10.2
9/03/2025	23.8	21.0	28.2	23.7	21.2	27.5	75.5	56.8	93.6	165.6	896.8	0.2	3.0	1.3	5.7	120.7	18.2	27.5	11.7
10/03/2025	21.3	20.0	23.2	21.2	19.9	22.9	91.2	74.8	99.9	57.7	373.2	0.6	1.3	0.1	2.9	142.5	20.8	85.0	8.9
11/03/2025	21.9	20.3	25.9	21.8	20.2	25.3	89.0	68.3	99.9	75.2	714.4	0.0	2.0	0.3	4.6	136.8	18.3	37.4	7.7
12/03/2025	22.6	19.7	27.4	22.4	19.6	26.7	82.2	55.5	99.9	128.0	728.9	0.4	1.7	0.4	4.8	130.6	21.8	68.3	6.8
13/03/2025	24.0	18.9	31.5	23.9	18.9	30.9	77.9	45.1	99.9	204.2	799.4	0.0	1.1	0.1	3.2	190.3	28.4	99.9	6.3
14/03/2025	25.2	15.4	35.9	25.4	15.9	35.2	67.6	28.8	99.9	231.8	800.7	0.0	1.1	0.0	2.9	188.0	28.7	84.0	8.5
15/03/2025	26.6	17.0	37.7	26.8	17.6	37.0	60.1	24.4	99.9	230.4	784.8	0.0	1.5	0.1	4.2	179.8	29.4	95.5	7.0
16/03/2025	28.9	18.4	37.0	29.0	19.8	36.3	48.0	24.3	98.1	216.9	850.6	0.0	2.8	0.1	5.5	272.3	27.8	86.8	10.8
17/03/2025	21.9	15.8	29.8	21.8	16.0	30.1	51.7	37.8	77.3	133.5	881.1	0.0	3.1	0.1	6.3	138.6	19.4	68.5	10.6
18/03/2025	19.9	14.3	25.6	19.7	14.8	24.5	60.9	47.6	74.1	134.6	692.9	0.0	2.2	0.5	4.8	124.1	18.6	36.9	7.2
19/03/2025	23.1	15.8	30.9	23.0	16.6	30.2	66.2	40.6	99.9	206.0	850.0	0.0	1.3	0.1	3.6	152.0	27.4	89.2	6.5
20/03/2025	24.4	16.0	34.0	24.5	16.3	33.2	68.9	31.5	99.9	199.4	891.0	0.0	1.0	0.1	3.2	190.4	31.2	88.2	7.6
21/03/2025	20.3	16.0	24.9	20.5	16.6	24.4	93.3	68.8	99.9	63.1	467.6	34.0	1.1	0.0	3.6	207.6	30.8	92.6	7.7
22/03/2025	23.0	18.7	28.8	22.9	18.9	28.1	83.5	54.1	99.9	133.4	709.7	0.0	1.4	0.0	4.4	123.7	27.0	97.5	6.7
23/03/2025	21.5	20.1	25.0	21.4	20.0	24.6	95.3	68.8	99.9	68.7	444.2	1.4	1.5	0.1	4.8	149.8	20.1	85.4	8.6
24/03/2025	22.9	20.3	27.2	22.8	20.2	26.5	87.9	63.4	99.9	116.6	633.1	0.8	1.8	0.2	4.6	139.8	19.1	89.8	4.8
25/03/2025	22.4	19.5	26.1	22.3	20.0	25.7	88.8	63.9	99.9	100.2	743.2	0.4	1.9	0.7	6.0	137.5	16.5	30.8	8.0
26/03/2025	22.3	19.2	26.9	22.2	19.2	26.2	78.7	49.0	99.9	157.1	751.0	0.0	2.0	0.5	4.2	126.6	18.7	47.9	7.8
27/03/2025	22.3	18.4	26.4	22.2	18.8	25.8	76.6	50.3	99.9	127.4	572.7	0.0	2.4	0.3	4.3	127.0	18.7	88.0	11.1
28/03/2025	21.3	18.4	24.6	21.2	18.6	24.1	76.1	53.5	99.9	88.5	535.2	5.0	2.4	0.4	5.5	125.7	17.0	59.4	8.6
29/03/2025	19.8	18.5	22.0	19.7	18.3	21.8	98.6	89.4	99.9	44.9	425.6	59.2	1.0	0.1	1.8	179.7	22.4	84.0	7.4
30/03/2025	22.2	18.2	26.3	22.3	18.4	25.8	73.6	55.7	99.9	132.6	820.4	0.2	2.2	0.0	5.2	201.3	27.4	91.7	12.6
31/03/2025	21.6	19.3	25.1	21.6	19.2	24.6	64.6	49.6	87.8	127.7	597.8	0.0	2.5	0.8	4.3	174.1	19.9	38.1	10.8
Total	22.9	14.3	37.7	22.8	14.8	37.0	76.5	24.3	99.9	141.1	896.8	128.2	2.0	0.0	6.5	155.0	22.3	99.9	1.5

This page is intentionally left blank.

